Author index

Abillon, E., Bremier, L. and Cardinaud, R.
Conformational calculations on the Ala^{14}-Pro^{27} LC1 segment of rabbit skeletal myosin (1037) 394
Alpers, D.H., see Lowe, M. (1037) 170
Alpers, R., see Lowe, M. (1037) 170
Amano, M., see Kobayashi, K. (1037) 297
Amons, R., Schipper, A. and Möller, W.
Elongation factor EF-1α from *Artemia* is specifically labeled at Lys-63 by the guanine nucleotide analog pyridoxal-5′-diphospho-5′-guanosine (1037) 401
Amontov, S.V., see Rabinkov, A.G. (1037) 216
Antonielli, M., see Panara, F. (1037) 73
Arche, R., see Martín, J. (1037) 133
Argetsinger, L.S., see Whitehouse-Hills, S. (1037) 380

Baker, M.A. and Hagner, B.A.
Diamide induced shift in protein and glutathione thiol : disulfide status delays DNA rejoining after X-irradiation of human cancer cells (1037) 39
Bakkenist, A.R.J., see Zuurbier, K.W.M. (1037) 140
Barbero, J.L., see Martín, J. (1037) 133
Battista, P., see Sacchetta, P. (1037) 337
Baumstark, M.W., Kreutz, W., Berg, A., Frey, I. and Keul, J.
Structure of human low-density lipoprotein subfractions, determined by X-ray small-angle scattering (1037) 48
Becker, R.R., see Bieber, A.L. (1037) 413
Bell, J., see Cossar, D. (1037) 221
Berg, A., see Baumstark, M.W. (1037) 48
Bieber, A.L., Becker, R.R., McParland, R., Hunt, D.F., Shabanowitz, J., Yates III, J.R., Martino, P.A. and Johnson, G.R.
The complete sequence of the acidic subunit from Mojave toxin determined by Edman degradation and mass spectrometry (1037) 413
Blackholm, H., see Stournaras, C. (1037) 86
Bloemendal, H., see Hendriks, W. (1037) 58
Brändén, R., Keys, A.J. and Parry, M.A.J.
Rapid kinetics of an N-terminal mutant of cyanobacterial ribulose-1,5-bisphosphate carboxylase/oxygenase (1037) 328
Bremier, L., see Abillon, E. (1037) 394
Brooks, S.P.J. and Storey, K.B.
Phosphofructokinase from a vertebrate facultative anaerobe: effects of temperature and anoxia on the kinetic parameters of the purified enzyme from turtle white muscle (1037) 161
Buhler, D.R., see Miranda, C.L. (1037) 155

Cardinaud, R., see Abillon, E. (1037) 394
Carmichael, J.S., see Woodward, J. (1037) 81
Carr, H.J., see Chambers, S.J. (1037) 66
Cazzulo, J.J., Cazzulo Franke, M.C., Martínez, J. and Franke de Cazzulo, B.M.
Some kinetic properties of a cysteine proteinase (cruzipain) from *Trypanosoma cruzi* (1037) 186
Cazzulo Franke, M.C., see Cazzulo, J.J. (1037) 186
Chambers, S.J., Carr, H.J. and Lambert, N.
An investigation of the dissociation and denaturation of legumin by salts using laser light scattering and circular dichroism spectroscopy (1037) 66
Chandra, S., see Polya, G.M. (1037) 259
Chen, H.J., see Mitchell, J.L.A. (1037) 115
Claeys, A., see Mannens, G. (1037) 1
Coleman, R.D., Kim, T.W., Gotto Jr., A.M. and Yang, C.-y.
Determination of cysteine on low-density lipoproteins using the fluorescent probe, 5-iodoacetamidofluoresceine (1037) 129
Cossar, D., Bell, J., Strange, R., Jones, M., Sandison, A. and Hume, R.
The α and π isoenzymes of glutathione *S*-transferase in human fetal lung: in utero ontogeny compared with differentiation in lung organ culture (1037) 221
Craig, P.A. and Dekker, E.E.
The sulfhydryl content of L-threonine dehydrogenase from *Escherichia coli* K-12: relation to catalytic activity and Mn^{2+} activation (1037) 30

D'Aniello, A., D'Onofrio, G. and Pischetola, M.
Total hydrolysis of proteins with strongly reduced racemization of amino acids (1037) 200
Danielson, H., see Neuzil, J. (1037) 307
Danley, D.E., see Franke, A.E. (1037) 16
Davidson, F.F. and Dennis, E.A.
Amino acid sequence and circular dichroism of Indian cobra (*Naja naja naja*) venom acidic phospholipase A_2 (1037) 7
DeAngelis, P.L. and Glabe, C.G.
Specific recognition of sulfate esters by bindin, a sperm adhesion protein from sea urchins (1037) 100
De Jong, W.W., see Hendriks, W. (1037) 58
Dekker, E.E., see Craig, P.A. (1037) 30
Dekker, E.E., see Mukherjee, J.J. (1037) 24
DeMartino, G.N., see Lee, L.W. (1037) 178
Dennis, E.A., see Davidson, F.F. (1037) 7
DeWolf, Jr., W.E., see Southan, C. (1037) 256
Di Cola, D., see Sacchetta, P. (1037) 337
Doleman, M.S., see Trower, M.K. (1037) 290
D'Onofrio, G., see D'Aniello, A. (1037) 200
Drewes, G., see Stournaras, C. (1037) 86

Emiliani, C., Sciarra, R., Orlacchio, A. and Stirling, J.L.
β-*N*-Acetylhexosaminidases in the spleen of a patient with hairy-cell leukaemia (1037) 265
Emptage, M.H., see Trower, M.K. (1037) 281
Emptage, M.H., see Trower, M.K. (1037) 290
Eriksson, H. and Nissen, M.H.
Proteolysis of the heavy chain of major histocompatibility complex class I antigens by complement component C1s (1037) 209

Fargeas, C.A., Scholler, M., Pini, A., Wachsmann, D., Poindron, P. and Klein, J.-P.
Purification and partial characterization of rat macrophage Fc receptor and binding factor for IgA (1037) 344
Faulstich, H., see Stournaras, C. (1037) 86
Follénius-Wund, A., see Pigault, C. (1037) 106
Forte, J.G., see Okamoto, C.T. (1037) 360
Franke, A.E., Danley, D.E., Kaczmarek, F.S., Hawrylik, S.J., Gerard, R.D., Lee, S.E. and Geoghegan, K.F.
Expression of human plasminogen activator inhibitor type-1 (PAI-1) in *Escherichia coli* as a soluble protein comprised of active and latent forms. Isolation and crystallization of latent PAI-1 (1037) 16

Franke de Cazzulo, B.M., see Cazzulo, J.J. (1037) 186
Frey, I., see Baumstark, M.W. (1037) 48
Fujii-Kuriyama, Y., see Sotokawa, H. (1037) 122
Fukushima, Y., see Takada, J. (1037) 373
Furuya, H., see Sotokawa, H. (1037) 122

Gantchev, T.G. and Shopova, M.B.
Characterization of spin-labelled fatty acids and hematoporphyrin binding sites interactions in serum albumin (1037) 422
Geoghegan, K.F., see Franke, A.E. (1037) 16
Gérard, D., see Pigault, C. (1037) 106
Gerard, R.D., see Franke, A.E. (1037) 16
Glabe, C.G., see DeAngelis, P.L. (1037) 100
Goff, H.M., see Lukat, G.S. (1037) 351
Gotto Jr., A.M., see Coleman, R.D. (1037) 129

Hagner, B.A., see Baker, M.A. (1037) 39
Hamazaki, H.
Structure and significance of *N*-linked sugar unit of human serum amyloid P component (1037) 435
Hatano, M., see Sotokawa, H. (1037) 122
Hawrylik, S.J., see Franke, A.E. (1037) 16
Hayashi, K., see Kobayashi, K. (1037) 297
Henderson, M.C., see Miranda, C.L. (1037) 155
Hendriks, W., Weetink, H., Voorter, C.E.M., Sanders, J., Bloemendal, H. and De Jong, W.W.
The alternative splicing product αA^{ins}-crystallin is structurally equivalent to αA and αB subunits in the rat α-crystallin aggregate (1037) 58
Hidalgo, F.J., Zamora, R. and Tappel, A.L.
Oxidant-induced haemoprotein degradation in rat tissue slices: effect of bromotrichloromethane, antioxidants and chelators (1037) 313
Hioki, Y., see Takada, J. (1037) 373
Huang, P.C., see Lin, L.-y. (1037) 248
Hume, R., see Cossar, D. (1037) 221
Hunt, D.F., see Bieber, A.L. (1037) 413

Iwaizumi, M., see Sotokawa, H. (1037) 122

Johnson, G.R., see Bieber, A.L. (1037) 413
Jones, M., see Cossar, D. (1037) 221
Jones, R.
Unusual fucoidin-binding properties of chymotrypsinogen and trypsinogen (1037) 227
Jørgensen, P.E., see Nexø, E. (1037) 388

Kaczmarek, F.S., see Franke, A.E. (1037) 16
Kanai, M., see Nishiwaki, S. (1037) 192
Karpilow, J.M., see Okamoto, C.T. (1037) 360
Kato, M., see Nishiwaki, S. (1037) 192
Kelly, S.M., see West, S.M. (1037) 332
Keul, J., see Baumstark, M.W. (1037) 48
Keys, A.J., see Brändén, R. (1037) 328
Kim, T.W., see Coleman, R.D. (1037) 129
Klein, J.-P., see Fargeas, C.A. (1037) 344
Klucis, E., see Polya, G.M. (1037) 259
Klumpp, S. and Schultz, J.E.
Alkaline phosphatase from *Paramecium* cilia and cell bodies: purification and characterization (1037) 233
Kobayashi, K., Amano, M. and Hayashi, K.
One-electron reduction of the oxy form of cobalt-substituted hemoproteins (1037) 297
Kreutz, W., see Baumstark, M.W. (1037) 48
Kruse, L.I., see Southan, C. (1037) 256

Lambert, N., see Chambers, S.J. (1037) 66
Lee, L.W., Moomaw, C.R., Orth, K., McGuire, M.J., DeMartino, G.N. and Slaughter, C.A.
Relationships among the subunits of the high molecular weight proteinase, macropain (proteasome) (1037) 178
Lee, N.E., see Woodward, J. (1037) 81
Lee, S.E., see Franke, A.E. (1037) 16
Lello, Z., Luca, G. and Maurizio, B.
Presence of functional domains in *Limulus polyphemus* hemocyanin (1037) 165
Lin, L.-y., Lin, W.C. and Huang, P.C.
Pigeon metallothionein consists of two species (1037) 248
Lin, W.C., see Lin, L.-y. (1037) 248
Loesberg, C., Van Rooij, H. and Smets, L.A.
Meta-iodobenzylguanidine (MIBG), a novel high-affinity substrate for cholera toxin that interferes with cellular mono(ADP-ribosylation) (1037) 92
Low, W.Z., see Tirosh, R. (1037) 274
Lowe, M., Strauss, A.W., Alpers, R., Seetharam, S. and Alpers, D.H.
Molecular cloning and expression of a cDNA encoding the membrane-associated rat intestinal alkaline phosphatase (1037) 170
Luca, G., see Lello, Z. (1037) 165
Lukat, G.S. and Goff, H.M.
A nuclear magnetic resonance study of axial ligation for the reduced states of chloroperoxidase, cytochrome $P\text{-}450_{cam}$, and porphinatoiron(II) thiolate complexes (1037) 351
Lux, B., see Pigault, C. (1037) 106

Mancheño, J.M., see Martín, J. (1037) 133
Mannens, G., Slegers, G. and Claeys, A.
Assay for acetyl-CoA:arylamine *N*-acetyltransferase by high-performance liquid chromatography applied to serotonin *N*-acetylation (1037) 1
Marshall, J.E., see Trower, M.K. (1037) 290
Martín, J., Prieto, I., Barbero, J.L., Pérez-Gil, J., Mancheño, J.M. and Arche, R.
Thermodynamic profiles of penicillin G hydrolysis catalyzed by wild-type and Met → Ala168 mutant penicillin acylases from *Kluyvera citrophila* (1037) 133
Martínez, J., see Cazzulo, J.J. (1037) 186
Martino, P.A., see Bieber, A.L. (1037) 413
Maurizio, B., see Lello, Z. (1037) 165
McGuire, M.J., see Lee, L.W. (1037) 178
McNair, S.L., see Woodward, J. (1037) 81
McParland, R., see Bieber, A.L. (1037) 413
Merkler, I., see Stournaras, C. (1037) 86
Minichiello, J., see Polya, G.M. (1037) 259
Miranda, C.L., Wang, J.-L., Henderson, M.C. and Buhler, D.R.
Immunological characterization of constitutive isozymes of cytochrome *P*-450 from rainbow trout. Evidence for homology with phenobarbital-induced rat *P*-450s (1037) 155
Mitchell, J.L.A. and Chen, H.J.
Conformational changes in ornithine decarboxylase enable recognition by antizyme (1037) 115
Möller, W., see Amons, R. (1037) 401
Moomaw, C.R., see Lee, L.W. (1037) 178
Muijsers, A.O., see Zuurbier, K.W.M. (1037) 140
Mukherjee, J.J. and Dekker, E.E.
2-Amino-3-ketobutyrate CoA ligase of *Escherichia coli*: stoichiometry of pyridoxal phosphate binding and location of the pyridoxyllysine peptide in the primary structure of the enzyme (1037) 24
Muto, Y., see Nishiwaki, S. (1037) 192

Nagamatsu, A., see Yamakawa, N. (1037) 302
Nakahashi, Y., Taketani, S., Sameshima, Y. and Tokunaga, R.
Characterization of ferrochelatase in kidney and erythroleukemia cells (1037) 321

Neuzil, J., Danielson, H., Welch, G.R. and Ovádi, J.
Cooperative effect of fructose bisphosphate and glyceraldehyde-3-phosphate dehydrogenase on aldolase action (1037) 307
Nexø, E., Jørgensen, P.E., Thim, L. and Roepstorff, P.
Purification and characterization of a low and a high molecular weight form of epidermal growth factor from rat urine (1037) 388
Nishiwaki, S., Kato, M., Okuno, M., Kanai, M. and Muto, Y.
Purification and partial characterization of a novel cellular retinol-binding protein, type three, from the piscine eyes (1037) 192
Nissen, M.H., see Eriksson, H. (1037) 209
Nosaka, K.
High affinity of acid phosphatase encoded by *PHO3* gene in *Saccharomyces cerevisiae* for thiamin phosphates (1037) 147
Nott, R., see Polya, G.M. (1037) 259

Ohba, Y., see Sotokawa, H. (1037) 122
Okamoto, C.T., Karpilow, J.M., Smolka, A. and Forte, J.G.
Isolation and characterization of gastric microsomal glycoproteins. Evidence for a glycosylated β-subunit of the H^+/K^+-ATPase (1037) 360
Okuno, M., see Nishiwaki, S. (1037) 192
Oplatka, A., see Tirosh, R. (1037) 274
Orlacchio, A., see Emiliani, C. (1037) 265
Orth, K., see Lee, L.W. (1037) 178
Ovádi, J., see Neuzil, J. (1037) 307

Panara, F., Pasqualini, S. and Antonielli, M.
Multiple forms of barley root acid phosphatase: purification and some characteristics of the major cytoplasmic isoenzyme (1037) 73
Parry, M.A.J., see Brändén, R. (1037) 328
Pasqualini, S., see Panara, F. (1037) 73
Pérez-Gil, J., see Martín, J. (1037) 133
Pick, E., see Sha'ag, D. (1037) 405
Pigault, C., Follénius-Wund, A., Lux, B. and Gérard, D.
A fluorescence spectroscopy study of the calpactin I complex and its subunits p11 and p36: calcium-dependent conformation changes (1037) 106
Pini, A., see Fargeas, C.A. (1037) 344
Pischetola, M., see D'Aniello, A. (1037) 200
Poindron, P., see Fargeas, C.A. (1037) 344
Polya, G.M., Nott, R., Klucis, E., Minichiello, J. and Chandra, S.
Inhibition of plant calcium-dependent protein kinases by basic polypeptides (1037) 259
Price, N.C., see West, S.M. (1037) 332
Prieto, I., see Martín, J. (1037) 133

Rabinkov, A.G. and Amontov, S.V.
Affinity labelling of rat liver acetyl-CoA carboxylase by a 2′,3′-dialdehyde derivative of ATP (1037) 216
Roepstorff, P., see Nexø, E. (1037) 388
Rosenberg, R.C., see Townes, S. (1037) 240

Sacchetta, P., Battista, P., Santarone, S. and Di Cola, D.
Purification of human erythrocyte proteolytic enzyme responsible for degradation of oxidant-damaged hemoglobin. Evidence for identifying as a member of the multicatalytic proteinase family (1037) 337
Sadeque, A.J.M., see Sotokawa, H. (1037) 122
Sameshima, Y., see Nakahashi, Y. (1037) 321
Sanders, J., see Hendriks, W. (1037) 58
Sandison, A., see Cossar, D. (1037) 221
Santarone, S., see Sacchetta, P. (1037) 337
Sariaslani, F.S., see Trower, M.K. (1037) 281
Sariaslani, F.S., see Trower, M.K. (1037) 290
Schipper, A., see Amons, R. (1037) 401
Scholler, M., see Fargeas, C.A. (1037) 344
Schultz, J.E., see Klumpp, S. (1037) 233
Sciarra, R., see Emiliani, C. (1037) 265
Seetharam, S., see Lowe, M. (1037) 170
Sha'ag, D. and Pick, E.
Nucleotide binding properties of cytosolic components required for expression of activity of the superoxide generating NADPH oxidase (1037) 405
Shabanowitz, J., see Bieber, A.L. (1037) 413
Shafer, J.A., see Whitehouse-Hills, S. (1037) 380
Shimeno, H., see Yamakawa, N. (1037) 302
Shimizu, T., see Sotokawa, H. (1037) 122
Shopova, M.B., see Gantchev, T.G. (1037) 422
Slaughter, C.A., see Lee, L.W. (1037) 178
Slegers, G., see Mannens, G. (1037) 1
Smets, L.A., see Loesberg, C. (1037) 92
Smolka, A., see Okamoto, C.T. (1037) 360
Soeda, S., see Yamakawa, N. (1037) 302
Sotokawa, H., Shimizu, T., Furuya, H., Sadeque, A.J.M., Hatano, M., Ohba, Y., Iwaizumi, M. and Fujii-Kuriyama, Y.
Electron spin resonance studies of wild-type and mutant cytochromes $P\text{-}450_d$: effects of mutations at proximal, aromatic and distal sites on g values (1037) 122
Southan, C., DeWolf, Jr., W.E. and Kruse, L.I.
Inactivation of dopamine β-hydroxylase by p-cresol: Evidence for a second, minor site of covalent modification at tyrosine 357 (1037) 256
Stirling, J.L., see Emiliani, C. (1037) 265
Storey, K.B., see Brooks, S.P.J. (1037) 161
Stournaras, C., Drewes, G., Blackholm, H., Merkler, I. and Faulstich, H.
Glutathionyl(cysteine-374) actin forms filaments of low mechanical stability (1037) 86
Strange, R., see Cossar, D. (1037) 221
Strauss, A.W., see Lowe, M. (1037) 170

Takada, J., Hioki, Y., Yano, M. and Fukushima, Y.
A novel hydrophobic amine, (*Z*)-5-methyl-2-[2-(1-naphthyl) ethenyl]-4-piperidinopyridine, as a probe of the K^+ occlusion center of Na^+/K^+-ATPase (1037) 373
Taketani, S., see Nakahashi, Y. (1037) 321
Tappel, A.L., see Hidalgo, F.J. (1037) 313
Thim, L., see Nexø, E. (1037) 388
Tirosh, R., Low, W.Z. and Oplatka, A.
Translational motion of actin filaments in the presence of heavy meromyosin and MgATP as measured by Doppler broadening of laser light scattering (1037) 274
Titone, C., see Townes, S. (1037) 240
Tokunaga, R., see Nakahashi, Y. (1037) 321
Townes, S., Titone, C. and Rosenberg, R.C.
Inhibition of dopamine β-hydroxylase by bidentate chelating agents (1037) 240
Trower, M.K., Emptage, M.H. and Sariaslani, F.S.
Purification and characterization of a 7Fe ferredoxin from *Streptomyces griseus* (1037) 281
Trower, M.K., Marshall, J.E., Doleman, M.S., Emptage, M.H. and Sariaslani, F.S.
Primary structure of a 7Fe ferredoxin from *Streptomyces griseus* (1037) 290

Van Rooij, H., see Loesberg, C. (1037) 92
Voorter, C.E.M., see Hendriks, W. (1037) 58

Wachsmann, D., see Fargeas, C.A. (1037) 344
Wang, J.-L., see Miranda, C.L. (1037) 155
Weetink, H., see Hendriks, W. (1037) 58
Welch, G.R., see Neuzil, J. (1037) 307

West, S.M., Kelly, S.M. and Price, N.C.
The unfolding and attempted refolding of citrate synthase from pig heart (1037) 332
Wever, R., see Zuurbier, K.W.M. (1037) 140
Whitehouse-Hills, S., Argetsinger, L.S. and Shafer, J.A.
Isolation of a catalytically competent phosphorylated tyrosine kinase from Rous sarcoma virus-induced rat tumor by immunoadsorption to and hapten elution from phosphotyrosine binding antibodies (1037) 380
Wichert, J.M., see Woodward, J. (1037) 81
Woodward, J., Lee, N.E., Carmichael, J.S., McNair, S.L. and Wichert, J.M.
Comparison of the hydrolytic activity and fluorescence of native, guanidine hydrochloride-treated and renatured cellobiohydrolase I from *Trichoderma reesei* (1037) 81
Yamakawa, N., Shimeno, H., Soeda, S. and Nagamatsu, A.
Inhibition of proline endopeptidase activity by acyl-coenzyme A esters (1037) 302
Yang, C.-y., see Coleman, R.D. (1037) 129
Yano, M., see Takada, J. (1037) 373
Yates III, J.R., see Bieber, A.L. (1037) 413

Zamora, R., see Hidalgo, F.J. (1037) 313
Zuurbier, K.W.M., Bakkenist, A.R.J., Wever, R. and Muijsers, A.O.
The chlorinating activity of human myeloperoxidase: high initial activity at neutral pH value and activation by electron donors (1037) 140